



**From:**

Saad Enouri, BVSc, MSc, PhD  
Research Associate, Canadian gFARAD  
Ontario Veterinary College  
senouri@uoguelph.ca  
Telephone: 519-824-4120 ext. 54984

---

**To:** [REDACTED]      **Re:** Nicarb®, Bovatec® Medicated Premix  
**Telephone:** [REDACTED]      **Case Id:** ON-081621-23472  
**Fax:** [REDACTED]      **Date of Response:** Aug 16, 2021 1:38:23 PM  
**Email:** [REDACTED]

---

**Case Information:**

**Date Submitted** Aug 16, 2021 12:21:12 PM  
**Species** Chickens/Broilers  
**Number of Animals** 22644  
**Location of Animals** [REDACTED]  
**Reason for Use** Prophylaxis

**Drugs Administered**

Drug Trade Name	Generics	Route	Dose	Diseases
Nicarb®	• nicarbazin	Oral - Feed	50 ppm (in feed) Continuously for 20 days	• <b>Alimentary:</b> coccidiosis
Bovatec® Medicated Premix	• lasalocid sodium	Oral - Feed	50 ppm (in feed) Continuously for 20 days	• <b>Alimentary:</b> coccidiosis

**Response and Recommendation:** 4 days

Nicarbazin is approved for use in chickens (up to 12 weeks of age) for the prevention of coccidiosis up to 200 ppm with no limit to the duration of treatment. When used according to the label directions, the withdrawal time of nicarbazin is 4 days for meat. Lasalocid is approved for broiler chickens for the prevention of coccidiosis at 105 ppm in feed, with no limit to the duration of treatment, with a zero day withdrawal time. We are not aware of any interaction between these drugs that would require further extension of the withdrawal periods. Therefore, we recommend following a withdrawal interval of at least 4 days for this combination.

Therefore, the Canadian gFARAD recommends a withdrawal interval of 4 days, which should be sufficient so that detectable residues are not found. Furthermore, this recommendation for residue

avoidance does not address the risks of developing or transmitting antimicrobial resistance from treated animals to other animals or humans following the extralabel use of this antimicrobial. Because the Canadian gFARAD withdrawal recommendation is not an official withdrawal time and is based on data that has not been reviewed nor approved by the Veterinary Drugs Directorate or the Canadian Food Inspection Agency, responsibility for residue violations rests with the attending veterinarian.

To review this request in CgFARAD:

<https://farad.usask.ca/cgfarad/vet/viewRequest?id=23472&langen>